



广微测
Gmicro Testing



2015191236Q



中国认可
国际互认
检测
TESTING
CNAS L1747

GUANGDONG DETECTION CENTER OF MICROBIOLOGY

REPORT FOR ANALYSIS

Report No.

2017FM00168R05

Name of Sample

KJ-LD-350 Super Purifier

Applicant

Test Type



Address: Building 59, No.100 Central Xian Lie Road, Guangzhou, China

510070

Postcode:

(020)87137666

Tel:

(020)87137668

Fax:

www.gddcm.com

Website:





广微测
Gmicro Testing



中国认可
国际互认
检测
TESTING
CNAS L1747

GUANGDONG DETECTION CENTER OF MICROBIOLOGY

REPORT FOR ANALYSIS

(Report No.) 2017FM00168R05

Name of Sample	KJ-LD-350 Super Purifier	Test Type	Commission Test
Applicant		Address	
Sample Source		Sample Quantity	
Spec and Lot No of Sample	720*430*127mm、2017001	State and Characteristic	
Sample Received Date	2017-01-06	Completion Date	2017-01-17
Test Standard and Method	GB 21551.6-2010		
Item Tested	Air purification performance		
Test Conclusion	See the attached page of this test report for the measured data of the tested item		
		Issue Date	2017-01-22
			Official Seal
Remarks	Manufacture factory: Guangdong Snorder Environmental Protection Technology Co., Ltd.		



Editor 陈颖婷

Verifier 林保

Approver 李峰



广微测
Gmicro Testing



中国认可
国际互认
检测
TESTING
CNAS L1747

GUANGDONG DETECTION CENTER OF MICROBIOLOGY

ANALYSIS AND TEST RESULT

(Report No.): 2017FM00168R05

Test contaminant	Action time	Testing result		removal rate
		(mg/m ³)	(mg/m ³)	
HCHO	1h	1.04	0.07	93.3
Concentration value of blank test chamber Concentration value of sample test chamber				
Remarks	30m ³			

Samples in 30 m³ test chamber for experiments

份
转



广微测
Gmicro Testing

MA
2015191236Q



中国认可
国际互认
检测
TESTING
CNAS L1747

GUANGDONG DETECTION CENTER OF MICROBIOLOGY

REPORT FOR ANALYSIS

(Report №.): 2017 FM00168R05

Picture



KJ-LD-350 Super Purifier



广微测
Gmicro Testing



中国认可
国际互认
检测
TESTING
CNAS L1747

(Report No.): 2017FM00168R05

Notice Items

1.

The Test report is invalid if not affixed with Authorized Stamp of Test and Paging Seal.

2.

The Test report is invalid without signature of verifier and approver.

3.

The Test report is invalid if being supplemented, deleted or altered.

4.

Without prior written permission, the report cannot be reproduced, except in full.

5.

Unless otherwise stated, the results shown in this test report refer only to the sample(s) submitted.

6.

Any dispute of the report must be raised to the testing body within 15 days after the report is received, exceeding which the dispute will not be accepted.

7.

For the tested sample(s) submitted by the applicant, the sample information in the test report is provided by the applicant and the laboratory is not responsible for its authenticity.

